NORWEGIAN JOURNAL OF GEOLOGY

GEOLOGICAL SOCIETY
OF NORWAY

Norwegian Journal of Geology

The main journal for Norwegian geological research, distributed to all members of the Norwegian Geological Society. First published in 1905, this geological journal is issued quarterly by the Norwegian Geological Society (Norsk Geologisk Forening). The journal publishes research articles, review articles, papers, notes and discussions relevant to the varied and complex geology of Norway, the Arctic regions, and adjacent offshore areas. Scientific papers from all geological, geophysical and geochemical disciplines are considered for publication. The contributors, referees and readership are widely international.

Editor

Trond Slagstad, Trondheim

Manuscript address

Manuscripts shall be addressed to:
Editor of Norwegian Journal of Geology
N-7491 Trondheim, Norway
Tel: +47 73 90 40 00,
Fax: +47 73 92 16 20
E-mail: editor_njg@ngu.no

Instructions to authors

Instructions to authors are found on
www.geologi.no/njg

Indexed in

Biological Abstracts (-1985); British Geological Literature; Chemical Abstracts; Current Contents/ Physical, Chemical and Earth Sciences; Energy Research Abstracts; Geological Abstracts Economic Geology; Geographical Abstracts/ Physical Geography; GeoREF (Online Database for Bibliography and Index of Geology); Life Sciences Collection; Norske Tidsskriftartikler; Metal Abstracts; Mineralogical Abstracts; Petroleum Abstracts; Science Citation Index; World Aluminum Abstracts

Subscription price

Subscription rates 2013: EUR 280
In Scandinavia: NOK 1600

Front cover

Small clues to a big puzzle - Asymmetric, cm-size K-feldspar porphyroclasts in a mylonite on Finnøy, Rogaland (photo looking northeast). The clasts are remnants from what was once a coarse-grained granitoid rock. The rest of it has been dynamically recrystallized into a fine-grained matrix. When coupled with measurements of mineral lineations, the geometry of such porphyroclasts can be used to derive the sense of shear, that is, the direction that rocks have been transported along a shear zone. In this case, the sigmoidal shapes indicate an overall top-to-the right (southeast) transport direction. The mylonite represents the contact between the Storheia Nappe and the structurally overlying Boknafjorden Nappe of the Ordovician–Silurian Caledonian Orogen. These clasts, thus, give us a small but important window into the dynamics of a large, ancient mountain chain. Text and photo: Espen Torgersen.

NORWEGIAN JOURNAL OF GEOLOGY

2017 Number 4, Volume 97

Victoria Ershova, Ernst Leven & Andrei Prokopiev

Deep structure of the northern North Sea and southwestern
Norway based on 3D density and magnetic modelling 255

**Elham Jafarian, Ralph Dirk Groen, Casimir W. Nooitgedacht, Christian Scheibner,
Dierk Blomeier & John J.G. Reijmer**

Facies arrangement and cyclostratigraphic architecture
of the Templet Member and the Kapp Starostin Formation (Permian)
on Spitsbergen, Svalbard 263

**Harald Øverli Eriksen, Steffen G. Bergh, Yngvar Larsen, Ingrid Skrede,
Lene Kristensen, Tom Rune Lauknes, Lars Harald Blikra & Halfdan Pascal Kierulf**

Relating 3D surface displacement from satellite- and ground-based
InSAR to structures and geomorphology of the Jettan rockslide,
northern Norway 283

Stijn De Schepper & Gunn Mangerud

Age and palaeoenvironment of the Utsira Formation in the northern
North Sea based on marine palynology 305

William L. Griffin

Book Review:
Norsk Mineralbok by Torgeir T. Garmo and Rune S. Selbekk 327

B-Economique
B-Blad

Porto betalt
ved innleveringen
P.P.
Norge/Norvège

ISSN 2387-5844 (printed)
ISSN 2387-5852 (online)
ISBN 978-82-8347-030-7

9 788283 470307